


Soportes
Pillow-blocks
Paliers
Stehlagergehäuse



ISO 9001




GAMA DE PRODUCTOS

PRODUCT RANGE



GAMME DE PRODUITS

LIEFERPROGRAM

Caja de fundición Housing Boîte Gehäuse	Rodamiento Bearing Roulement Kugellager					
		UC / UCX	UK	NA	SA	SB
	P	UCP / UCPX	UKP	NAP	SAP	SBP
	F	UCF / UCFX	UKF	NAF	SAF	SBF
	FL	UCFL	UKFL	NAFL	SAFL	SBFL
	T	UCT	UKT	NAT	SAT	SBT
	FC	UCFC	UKFC	NAFC	SAFC	SBFC
	PH	UCPH	UKPH	NAPH	SAPH	SBPH
	PA	UCPA	UKPA	NAPA	SAPA	SBPA
	HA	UCHA	UKHA	NAHA		
	FB	UCFB	UKFB	NAFB		
	FA	UCFA	UKFA	NAFA		
	C	UCC	UKC	NAC	SAC	SBC
	LLP				SALLP	SBLLP
	LF				SALF	SBLF
	FD				SAFD	SBFD
	PP	UCCP	UKPP	NAPP	SAPP	SBPP
	PF	UCPF	UKPF	NAPF	SAPF	SBPF
	PFL	UCPFL	UKPFL	NAPFL	SAPFL	SBPFL

SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE

UCPX200





UCFX

Tipo tornillo de fijación / Set-screw type
Type vis de fixation / Typ Befestigungsschraube

Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension										Tamaño del perno Bolt size Taille du boulon Stiftgröße	Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	h	l	j	a	n	n1	h1	h0	s	b				
UCPX 205-14	7/8	25	44,4	159	119	51	17	20	17	85	15,9	38,1	M14	UCX 205-14	PX205	1,5
205-15	15/16													205-15		
205														205		
205-16	1													205-16		
UCPX 206-18	1-1/8	30	47,6	175	127	54	17	20	20	93	17,5	42,9	M14	UCX 206-18	PX206	2,1
206														206		
206-19	1-3/16													206-19		
206-20	1-1/4													206-20		
UCPX 207-22	1-3/8	35	54	203	144	57	17	20	21	105	19	49,2	M14	UCX 207-22	PX207	2,7
207														207		
207-23	1-7/16													207-23		
UCPX 208-24	1-1/2	40	58,7	222	156	65	20	23	23	112	19	49,2	M16	UCX 208-24	PX208	3,5
208														208		
UCPX 209-26	1-5/8	45	58,7	222	156	67	20	23	25	116	19	51,6	M16	UCX 209-26	PX209	3,7
209-27	1-11/16													209-27		
209-28	1-3/4													209-28		
209														209		
UCPX 210-30	1-7/8	50	63,5	240	171	71	20	23	24	126	22,2	55,6	M16	UCX 210-30	PX210	4,6
210-31	1-15/16													210-31		
210														210		
210-32	2													210-32		
UCPX 211-34	2-1/8	55	69,8	260	184	79	25	28	29	137	25,4	65,1	M20	UCX 211-34	PX211	6,5
211														211		
211-35	2-3/16													211-35		
211-36	2-1/4													211-36		
UCPX 212		60	76,2	280	203	81	25	28	31	149	25,4	65,1	M20	UCX 212	PX212	7,7
212-38	2-3/8													212-38		
212-39	2-7/16													212-39		
UCPX 213-40	2-1/2	65	76,2	286	203	83	25	28	33	152	30,2	74,6	M20	UCX 213-40	PX213	8,1
213														213		
UCPX 214-44	2-3/4	70	88,9	320	229	85	27	30	34	170	33,3	77,8	M22	UCX 214-44	PX214	10,2
214														214		
UCPX 215		75	88,9	330	229	92	27	30	35	175	33,3	82,6	M22	UCX 215	PX215	10,8
215-48	3													215-48		
UCPX 216		80	101,6	378	283	99	27	30	37	194	34,1	85,7	M22	UCX 216	PX216	15,3

SOPORTES / PILLOW-BLOCKS / PALIERS / STEHLAGERGEHÄUSE UCFX200



Soportes Pillow blocks Paliers Stehlagergehäuse No.	Diámetro del eje Shaft Diameter Diamètre du axe Achsendurchmesser d		Dimensiones Dimensions Dimensions Dimension								Tamaño del perno Bolt size Taille du boulon Stiftgröße	Rodamiento Bearing Roulement Kugellager No.	Caja Housing Boîte Gehäuse No.	Peso Weight Poids Gewicht (kg)
	in	mm	l	j	a2	a1	a	e	n	s				
UCFX 205-14	7/8	25	108	82,5	18	13	30	40,2	11,5	15,9	M10	UCX 205-14	FX205	1,2
205-15	15/16											205-15		
205												205		
205-16	1											205-16		
UCFX 206-18	1-1/8	30	117	92	19	14	34	44,4	13	17,5	M12	UCX 206-18	FX206	1,6
206												206		
206-19	1-3/16											206-19		
206-20	1-1/4											206-20		
UCFX 207-22	1-3/8	35	130	101,5	21	14	38	51,2	13	19	M12	UCX 207-22	FX207	2,0
207												207		
207-23	1-7/16											207-23		
UCFX 208-24	1-1/12	40	137	105	22	14	40	52,2	15	19	M14	UCX 208-24	FX208	2,4
208-25	1-9/16											208-25		
UCFX 208												UCX 208		
209-26	1-5/8		143	111	23	14	40	55,6	15	19	M14	UCX 209-26	FX209	2,7
209-27	1-11/16	45										209-27		
209-28	1-3/4											209-28		
209												209		
UCFX 210-30	1-7/8	50	162	130	26	20	44	59,4	17	22,2	M16	UCX 210-30	FX210	3,7
210-31	1-15/16											210-31		
210												210		
210-32	2											210-32		
UCFX 211-34	2-1/8	55	175	143	29	20	49	68,7	17	25,4	M16	UCX 211-34	FX211	4,9
211												211		
211-35	2-3/16											211-35		
211-36	2-1/4											211-36		
UCFX 212		60	187	149	34	21	57	73,7	17	25,4	M16	UCX 212	FX212	5,7
212-38	2-3/8											212-38		
212-39	2-7/16											212-39		
UCFX 213-40	2-1/2		187	149	34	21	59	78,4	17	30,2	M16	UCX 213-40	FX213	6,3
213		65										213		
UCFX 214-44	2-3/4		197	152	37	24	60	81,5	20	33,3	M18	UCX 214-44	FX214	7,0
214												214		
UCFX 215		75	197	152	40	24	68	89,3	20	33,3	M18	UCX 215	FX215	8,4
215-48	3											215-48		
UCFX 216			214	171	40	24	70	91,6	20	34,1	M18	UCX 216	FX216	9,4